



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300


**Sent To:** Steve Roberts  
TDEC-DWS  
Knoxville FO  
3711 Middlebrook Pike  
Knoxville, TN 37921

**Lab ID:** N00003940  
Nashville Central Laboratory

**Sampling Agency:** TDEC: Division of Water Supply

**Billing Code:** 327.39-12

This is to certify that the following results were determined using  
good laboratory practices and in accordance with federal or state  
approved methodologies.

  
Analytical Supervisor

Lab-Sample Number: N00003940001  
Project Name:  
Sample Description: FINISH  
Sampler Project Name: KINGSTON WTP  
Project Site No.:  
Station No.:  
Date/Time Collected: 01/03/2009 08:30  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 01/03/2009 11:20  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	51	mg/L	3.8	10	S Burchfield	1/4/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	46	mg/L	0.7	1	S Burchfield	1/4/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

Lab-Sample Number: N00003940002  
Project Name:  
Sample Description: RAW  
Sampler Project Name: KINGSTON WTP  
Project Site No.:  
Station No.:  
Date/Time Collected: 01/03/2009 08:15  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 01/03/2009 11:20  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total			METHOD: EPA 310.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	54	mg/L	3.8	10	S Burchfield	1/4/2009

TEST: Hardness, Calcium			METHOD: SM 3500-Ca D			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	45	mg/L	0.7	1	S Burchfield	1/4/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

Lab-Sample Number: N00003940003  
Project Name:  
Sample Description: RAW  
Sampler Project Name: ROCKWOOD WTP  
Project Site No.:  
Station No.:  
Date/Time Collected: 01/03/2009 09:10  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 01/03/2009 11:20  
Received By: P Singh

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	69	mg/L	3.8	10	S Burchfield	1/4/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	60	mg/L	0.7	1	S Burchfield	1/4/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

Lab-Sample Number: N00003940004  
Project Name:  
Sample Description: FINISH  
Sampler Project Name: ROCKWOOD WTP  
Project Site No.:  
Station No.:  
Date/Time Collected: 01/03/2009 09:30  
Sampler's Name: GEOFF KLEIN  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 01/03/2009 11:20  
Received By: P Singh

**Field Determinations**

pH:

Chlorine, residual:

Conductivity:

Temperature:

Dissolved Oxygen:

Other:

Flow:

CFS

TEST: Alkalinity, Total			METHOD: EPA 310.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	66	mg/L	3.8	10	S Burchfield	1/4/2009

TEST: Hardness, Calcium			METHOD: SM 3500-Ca D			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	59	mg/L	0.7	1	S Burchfield	1/4/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300


**Sent To:** Steve Roberts  
TDEC-DWS  
Knoxville FO  
3711 Middlebrook Pike  
Knoxville, TN 37921

**Lab ID:** N00003940  
Nashville Central Laboratory

**Sampling Agency:** TDEC: Division of Water Supply

**Billing Code:** 327.39-12

This is to certify that the following results were determined using good laboratory practices and in accordance with federal or state approved methodologies.

  
\_\_\_\_\_  
Analytical Supervisor

**Lab-Sample Number:** N00003940001  
**Project Name:**  
**Sample Description:** FINISH  
**Sampler Project Name:** KINGSTON WTP  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 01/03/2009 08:30  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 01/03/2009 11:20  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	01/04/2009				A Wilson	1/4/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	1/4/2009
Barium	18	µg/L	2.5	5	M Pattanayek	1/4/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	1/4/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	1/4/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	1/4/2009
Cobalt	0.06J	µg/L	0.04	1	M Pattanayek	1/4/2009
Lead	U	µg/L	0.10	1	M Pattanayek	1/4/2009
Manganese	U	µg/L	0.42	1	M Pattanayek	1/4/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	1/4/2009
Strontium	61	µg/L	0.47	1	M Pattanayek	1/4/2009
Thallium	0.11J	µg/L	0.03	1	M Pattanayek	1/4/2009
Uranium	U	µg/L	0.01	1	M Pattanayek	1/4/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	1/4/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	1/4/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected

**Lab-Sample Number:** N00003940002  
**Project Name:**  
**Sample Description:** RAW  
**Sampler Project Name:** KINGSTON WTP  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 01/03/2009 08:15  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 01/03/2009 11:20  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals			METHOD: EPA 200.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	01/04/2009				A Wilson	1/4/2009

TEST: ICP-MS			METHOD: EPA 200.8			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	1/4/2009
Barium	20	µg/L	2.5	5	M Pattanayek	1/4/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	1/4/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	1/4/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	1/4/2009
Cobalt	0.13J	µg/L	0.04	1	M Pattanayek	1/4/2009
Lead	0.30J	µg/L	0.10	1	M Pattanayek	1/4/2009
Manganese	26	µg/L	0.42	1	M Pattanayek	1/4/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	1/4/2009
Strontium	62	µg/L	0.47	1	M Pattanayek	1/4/2009
Thallium	U	µg/L	0.03	1	M Pattanayek	1/4/2009
Uranium	0.09J	µg/L	0.01	1	M Pattanayek	1/4/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	1/4/2009

TEST: Mercury			METHOD: EPA 245.1			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	1/4/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected



**Lab-Sample Number:** N00003940003  
**Project Name:**  
**Sample Description:** RAW  
**Sampler Project Name:** ROCKWOOD WTP  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 01/03/2009 09:10  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 01/03/2009 11:20  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	01/04/2009				A Wilson	1/4/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	1/4/2009
Barium	27	µg/L	2.5	5	M Pattanayek	1/4/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	1/4/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	1/4/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	1/4/2009
Cobalt	0.07J	µg/L	0.04	1	M Pattanayek	1/4/2009
Lead	0.41J	µg/L	0.10	1	M Pattanayek	1/4/2009
Manganese	11	µg/L	0.42	1	M Pattanayek	1/4/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	1/4/2009
Strontium	59	µg/L	0.47	1	M Pattanayek	1/4/2009
Thallium	U	µg/L	0.03	1	M Pattanayek	1/4/2009
Uranium	0.11J	µg/L	0.01	1	M Pattanayek	1/4/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	1/4/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	1/4/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected

**Lab-Sample Number:** N00003940004  
**Project Name:**  
**Sample Description:** FINISH  
**Sampler Project Name:** ROCKWOOD WTP  
**Project Site No.:**  
**Station No.:**  
**Date/Time Collected:** 01/03/2009 09:30  
**Sampler's Name:** GEOFF KLEIN  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 01/03/2009 11:20  
**Received By:** P Singh

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals			METHOD: EPA 200.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	01/04/2009				A Wilson	1/4/2009

TEST: ICP-MS			METHOD: EPA 200.8			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	M Pattanayek	1/4/2009
Barium	26	µg/L	2.5	5	M Pattanayek	1/4/2009
Beryllium	U	µg/L	0.11	1	M Pattanayek	1/4/2009
Cadmium	U	µg/L	0.41	1	M Pattanayek	1/4/2009
Chromium	U	µg/L	2.0	5	M Pattanayek	1/4/2009
Cobalt	0.06J	µg/L	0.04	1	M Pattanayek	1/4/2009
Lead	U	µg/L	0.10	1	M Pattanayek	1/4/2009
Manganese	U	µg/L	0.42	1	M Pattanayek	1/4/2009
Selenium	U	µg/L	1.3	5	M Pattanayek	1/4/2009
Strontium	58	µg/L	0.47	1	M Pattanayek	1/4/2009
Thallium	U	µg/L	0.03	1	M Pattanayek	1/4/2009
Uranium	U	µg/L	0.01	1	M Pattanayek	1/4/2009
Vanadium	U	µg/L	3.4	5	M Pattanayek	1/4/2009

TEST: Mercury			METHOD: EPA 245.1			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.13	0.2	A Wilson	1/4/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected